

Neuropathology Data - Methods

Summary: The neuropathology data in the ADNI database relevant to Alzheimer disease (AD) are derived from application of the National Institute on Aging-Alzheimer's Association guidelines for the neuropathologic assessment of AD (1). The neuropathologic data may be considered the 'gold standard' against which other clinical, neuropsychological, genetic, neuroimaging and body fluid biomarkers may be compared. Neuropathology data may be used to underpin multimodal studies of the natural history of AD. Data relevant to other neurodegenerative diseases are derived from the application of other appropriate contemporary neuropathologic guidelines.

Methods

Acquisition of Neuropathology Data

Pathological lesions within the brain are assessed using established neuropathologic diagnostic criteria. The NIA-AA criteria recognize that AD neuropathologic change (ADNC) may occur in the apparent absence of cognitive impairment. In accordance with the NIA-AA protocol, an "ABC" score for ADNC is generated from histopathologic assessments of the anatomic distribution of amyloid β plaques (A), the distribution and density (staging) of neurofibrillary tangles (B), and the maximal density of neocortical neuritic plaques (C). In addition, detailed methods for assessing common co-morbid conditions such as Lewy body disease, vascular pathology and associated brain injury, hippocampal sclerosis, argyrophilic grain disease, and TAR DNA binding protein (TDP) immunoreactive inclusions are included (Reference).

Neuropathology data were captured in the format of the Neuropathology Data Form Version 10 or form 11 of the National Alzheimer's Coordinating Center (NACC) established by the National Institute on Aging/NIH (U01 AG016976). The Neuropathology NACC Form Version 11 includes specific questions/prompts to gather information about aging-related tau astrogliopathy (ARTAG). For ADNI cases with information gathered using Neuropathology NACC Form Version 10, the presence of ARTAG is indicated under "OTHER PATHOLOGIC DIAGNOSES." For more information see:

Neuropathology NACC Form Version 10

Neuropathology Coding Guidebook NACC Version 10: https://www.alz.washington.edu/NONMEMBER/NP/npguide10.pdf

Neuropathology Data Collection Form NACC Version 10: https://www.alz.washington.edu/NONMEMBER/NP/npform10.pdf

Neuropathology Data Dictionary NACC Version 10:

https://www.alz.washington.edu/NONMEMBER/NP/npded10.pdf

Neuropathology NACC Form Version 11

Neuropathology Coding Guidebook NACC Version 11

https://files.alz.washington.edu/documentation/np11-guidebook.pdf

Neuropathology Data Collection Form NACC Version 11:

https://files.alz.washington.edu/documentation/np11-form.pdf

Neuropathology Data Dictionary NACC Version 11:

https://files.alz.washington.edu/documentation/np11-ded.pdf

Dataset Information: This methods document applies to the following dataset(s) available from the ADNI repository:



Dataset Name	Date Submitted
Neuropathology Core – Data Dictionary	
Neuropathology Core – Data Methods	
Neuropathology Core – Neuropathology Data	

Reference: Montine TJ, et al. National Institute on Aging - Alzheimer's Association guidelines for the neuropathologic assessment of Alzheimer's disease: a practical approach. *Acta Neuropathol.* 2012; 123: 1-11.

About the Authors: This document was modified from a previous version by Richard J. Perrin, M.D., Ph.D., Knight Alzheimer Disease Research Center, Department of Pathology & Immunology, Washington University School of Medicine, Saint Louis, Missouri 63110. For more information, please contact Dr. Perrin (314-362-8079; rperrin@wustl.edu) or the ADNI Neuropathology Core Coordinator, Haley Bernhardt (314-273-1269; hbernhardt@wustl.edu).

Notice: This document is presented by the authors as a service to ADNI data users. However, users should be aware that no formal review process has vetted this document and that ADNI cannot guarantee the accuracy or utility of this document.

Revised 10-2022